

Tirado

SAFETY DATA SHEET

1. PRODUCT & COMPANY IDENTIFICATION

Product Name: Tirado
Pesticide Classification: Insecticide
UN No.: 3082

Supplier

Enviro Bio-Chem (Pty) Ltd
Co. Reg. No.: 2013/194774/07
44 Kerk Street, Lichtenburg
North West, South Africa 2740

Registration Holder

Erintrade t/a RT Chemicals
Co. Reg. No.: CK2001/036403/23
44 Kerk Street, Lichtenburg
North West, South Africa 2740

Telephone: +27 87 231 7261
Fax: 086 541 7948
Website: www.envirobiochem.co.za

24 Hr Emergency Number: Bateleur: +27 83 123 3911

In case of Poisoning:

Poison Information Centre: +27 82 446 8946
Tygerberg Hospital: (+27 21) 931 6129
Poison Emergency Enquiries: (+27 21) 689 5227

Common Name: Imidacloprid 600g/l Flowable Seed Dressing
Chemical Name: 1-(6-chloro-3-pyridylmethyl)- N-nitroimidazolidin-2- ylideneamine
Empirical Formula: C₉H₁₀ClN₅O₂
CAS No.: 138261-41-3
RSA Reg. No.: L8007 Act 36 of 1947
Namibia Reg. No.: N-AR 1194

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Ingredient Name</u>	<u>Concentration</u>
Imidacloprid	≥ 600 g/l
Inert Ingredients	≤ 400 g/l

3. HAZARD IDENTIFICATION

Hazard Class: WHO Class II -Moderately hazardous.

Main Hazard: Harmful if swallowed or inhaled.

Flammability: Non-flammable, water based product.

Chemical Hazard: In a fire, formation of hydrogen chloride, hydrogen cyanide, carbon monoxide and nitrogen oxides can be expected.

Biological Hazard: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES AND PRECAUTIONS

If poisoning is suspected, do not wait for symptoms to develop. Contact a physician, the nearest hospital or the nearest Poison Control Centre.

Symptoms of Human Poisoning: Systemic symptoms include apathetic state, depressed muscular tone, respiratory disturbances and trembling. Muscular cramps are also possible in severe cases of poisoning.

First Aid Measures:

Skin Contact: Remove contamination clothing, shoes and leather goods. Wash affected skin immediately with water and non-abrasive soap. Seek medical advice if symptoms develop.

Eye Contact: Immediately flush eyes with gently flowing cold water for 15 minutes, holding the eyelids open. Seek medical attention.

Ingestion: Obtain immediate medical advice. Do not induce vomiting unless advised to do so by doctor or a poisons information centre. Give plenty of water to drink. Do not give anything by mouth to an unconscious or semi-conscious person.

Inhalation: If inhaled, removed the patient to fresh air and keep warm and at rest, seek medical advice if at all worried.

Advice to Physician: Absorption promoting agents such as alcoholic beverages and milk causes contraindications. Oils and fats are of no particular use, as the active ingredient has low lipo-solubility.

The active ingredient, imidacloprid belongs to the chemical group, chloronicotinyl or neonicotinoid. Therapeutic measures include basic acid, decontamination and symptomatic treatment.

Treatment: Symptomatic (nicotine-like effects). Check blood pressure and pulse rate frequently, as bradycardia and hypotonia are possible. Provide supportive measures for respiratory function and cardiac action. Give artificial respiration if signs of paralysis appear. Additional therapeutic measures involve elimination of the substance from the body or acceleration of its excretion (gastric lavage, saline laxatives activated charcoal).

Antidote: There is no specific antidote for poisoning with this product.

5. FIRE FIGHTING MEASURES

Flammability: Non-flammable, water based product.

Extinguishing Agents: Use water, foam, extinguishing powder, carbon dioxide or sand.

Firefighting: Firefighters should wear full protective gear, including self-contained breathing apparatus. Keep unnecessary people away. If it can be done safely, remove intact containers from the fire. Otherwise, use water spray to cool the intact containers. Bund the area with sand or earth to prevent contamination of drains or waterways. Dispose of fire control water, other extinguishing agents and spillage according to Section 13 of this document. Do not release contaminated water into the environment.

Special Hazards: In a fire, formation of hydrogen chloride, hydrogen cyanide, carbon monoxide and nitrogen oxides can be expected.

6. ACCIDENTAL RELEASE MEASURES (SPILLAGE)

Personal Precautions: When dealing with spills do not eat, drink or smoke and wear protective clothing and equipment as described in Section 8. Keep people and animals away.

Environmental Precautions: Prevent spilled material from entering drains or watercourses. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

Spills: Avoid contact with the spilled material or contaminated surfaces. Contains spill and absorb with earth, sand, clay or another absorbent material. Collect and store in properly labeled, sealed drums for disposal. Deal with all spillages immediately. Dispose of product waste according to Section 13 of this document.

7. HANDLING AND STORAGE REQUIREMENTS

Handling: Avoid contact with skin, eyes and clothing. Keep away from direct sunlight, food, seed, animals, children and unformed persons. Use with adequate ventilation. Wash hands before eating, drinking, chewing gum, smoking, or using the toilet. Remove clothing immediately if the product gets inside, then wash skin thoroughly using non-abrasive soap and put on clean clothing. Water used to clean equipment must be disposed of correctly to avoid contamination.

Storage: Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. When treated seed is stored it should be kept apart from other grain and the bags or other containers should be clearly marked to indicate the contents have been treated with this product. Do not allow seed treated with this product to contaminate seed intended for human or animal consumption. Bags that have held treated seed are not to be used for any other purpose. If the seed is not used immediately after treatment it should be stored in a dry, well-ventilated place.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Acceptable Daily Intake (ADI): No data available.

Engineering Controls: Control process conditions to avoid contact. Use outdoors in a well-ventilated area. Comply with occupational safety, environmental, fire and other applicable regulations. Wear suitable personal protective equipment.

Personal Protective Equipment:

Clothing: Wear cotton overalls buttoned to the neck and wrist and a washable hat.

Gloves: Wear elbow-length PVC gloves.

Eye Protection: Wear eye protection. During mixing or pouring operations or other activities in which eye contact with undiluted product is likely to occur, splash goggles should be worn. Where there is any possibility that an employee's eyes may be exposed to this substance the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

Respiratory: Wear a disposable mask if inhalation is likely.

Other Protection: Do not eat, drink or smoke while handling this product. Prevent contamination of food, feeds, drinking water and eating utensils. After using this product wash hands and face before eating. Take extreme care to avoid drift. Wash accurately (preferably a shower) after a work shift. Wash hands with soap and water during breaks and at the end of work.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Dark blue liquid suspension.

Odor: Slight characteristic.

pH: 4-7

Suspensibility: ≥ 85%

Wet Sieve Test (through 10 µm wet sieve): ≥ 98%

Dilution Stability: Qualified

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of use.

Conditions to Avoid: Avoid extreme heat.

Incompatible Materials: None under normal conditions.

Decomposition Products: Hydrogen chloride, hydrogen cyanide, carbon monoxide and nitrogen oxides can be expected.

11. TOXICOLOGICAL INFORMATION

Acute toxicity based on the active ingredient toxicity.

Acute Oral LD₅₀ (rat): 750 mg/kg. Harmful if swallowed.

Acute Dermal LD₅₀ (rabbit): >5 000 mg/kg.

Acute Inhalation LC₅₀ (rat, 4 hr): May be harmful if inhaled.

Skin and Eye Irritation (rabbit): Slightly irritating to skin and eyes.

Skin Sensitization (guinea pig): Not a skin sensitizer.

Chronic Effects: Animal studies with imidacloprid showed no evidence of oncogenic effects, no evidence of carcinogenic effects and no teratogenic potential.

Carcinogenicity: Animal studies with imidacloprid showed no evidence of carcinogenic effects.

Mutagenicity: Studies indicate that the product is not mutagenic.

Reproductive Hazard: No data available.

12. ECOLOGICAL INFORMATION

Ecotoxicity is based on the active ingredient toxicity.

Aquatic Toxicity Fish LC₅₀ (96 hr): 211 mg/l (rainbow trout); 237 mg/l (golden orfe). Practically non-toxic to fish.

Aquatic Toxicity Daphnia EC₅₀ (48 hr): 85 mg/l (Daphnia magna). Moderately toxic to daphnia.

Aquatic Toxicity Algae EC₅₀ (72 hr): > 100 mg/l (green alga).

Avian Toxicity LD₅₀ (9 days): 31 mg/kg (Japanese quail); 152 mg/kg (bobwhite quail). Highly toxic to birds.

Bee Toxicity LD₅₀: Toxic to bees.

Biodegradability: The half-life of imidacloprid in soil is 48-190 days, depending on the amount of ground cover.

Bio-accumulation: No data available.

Mobility: Imidacloprid shows a medium adsorption to soil. Classified as immobile in soil. Not expected to leach.

13. DISPOSAL CONSIDERATION

Pesticide Disposal: Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. Dispose of waste product via a licensed disposal contractor to an approved landfill.

Package Product Wastes: Triple rinse or preferably pressure rinse containers before disposal. If recycling, replace cap and return clean containers to authorized recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local approved landfill. If no landfill is available, bury the containers below 50 cm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and products should not be burnt.

14. TRANSPORT INFORMATION

UN No.: 3082

Hazard Class: 9

Packing Group: III

Proper Shipping Name: Environmentally Hazardous Substance; Liquid; N.O.S. (contains Imidacloprid)

15. REGULATORY INFORMATION

Risk Phrases: **R20/22-** Harmful by inhalation and if swallowed.
 R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety Phrases: **S2-** Keep out of the reach of children.
 S24/25- Avoid contact with skin and eyes.
 S60- This material and its container must be disposed of as hazardous waste.
 S61- Avoid release to the environment. Refer to special instructions/safety data sheets.

National Legislation: This product is registered under Act 36 of 1947 of the Republic of South Africa. It is a violation of South African law to use this product in any manner inconsistent with its approved labelling. Read and follow all label directions.

16. OTHER INFORMATION

Note: Read and understand all the information on the product label before using the product.

Disclaimer: The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product, nor where instructions or recommendations are not followed.

All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

END OF DOCUMENT